

Poultry Slaughter

Washington, D.C.

Released September 5, 2000, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on "Poultry Slaughter" call John Lange (202) 720-0585 or Mike Barker (202)720-3243, office hours 7:30 a.m. to 4:00 p.m. ET.

Ready-to-Cook Weight Down 3 Percent

Poultry certified wholesome during July (ready-to-cook weight), totaled 2.89 billion pounds, down 3 percent from the amount certified in July 1999. Updated totals for June 2000 show that 3.22 billion pounds were certified.

The preliminary total live weight of poultry inspected during July 2000 was 3.89 billion pounds, down 3 percent from a year ago. Inspections included 3.27 billion pounds of young chickens, 3 percent below last year; 72.2 million pounds of mature chickens, down 7 percent; 540 million pounds of turkeys, down 3 percent; and 12.3 million pounds of ducks, up 1 percent from July 1999.

Young chickens slaughtered during July 2000 averaged 4.95 pounds per bird, up 1 percent from 4.88 pounds per bird in July 1999. The average live weight of mature chickens was 5.51 pounds per bird, up 6 percent from a year ago. Turkeys slaughtered during July 2000 averaged 25.3 pounds per bird, up 1 percent from July 1999.

Ante-mortem condemnations during July 2000 totaled 19.9 million pounds. Condemnations were 0.51 percent of the live weight inspected, compared with 0.63 percent a year earlier. Post-mortem condemnations, at 55.0 million pounds (N.Y. dressed weight), were 1.57 percent of quantities inspected, compared with 1.79 percent a year earlier.

July 2000 contained 21 weekdays (including one holiday) and five Saturdays. July 1999 contained 22 weekdays (including one holiday) and five Saturdays.

Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, July 2000 with Comparisons 1/

| | : | Chickens | : | Dualsa | : Other |
|----------------------|---|------------------|------------------------|------------------|--------------|
| | : Young | : Mature 2/ : | Total : | Ducks | : Poultry : |
| | : | 1, | 000 Head | | |
| Number Inspected | : : | | | | |
| Jun 2000 | : 733,367 | 15,118 | 748,485 | 2,084 | |
| Jul 1999 Jul 2000 | 688,068659,808 | 14,921 13,100 | 702,989 672,908 | 1,876 1,865 | |
| Jul 2000 | : 059,000 | 13,100 | 672,906 | 1,005 | |
| Jan-Jul 1999 | : 4,738,370 | • | 4,844,480 | 13,331 | |
| Jan-Jul 2000 | : 4,839,928 | 99,823 | 4,939,750 | 13,773 | |
| | : | 1 0 | 00 Pounds | | |
| Live Weight | : | 170 | oo roaras | | |
| | : | | | | |
| Jun 2000 | : 3,640,423 | 81,946 | 3,722,369 | 13,671 | |
| Jul 1999 Jul 2000 | : 3,359,024 : 3,265,748 | | 3,436,828 3,337,907 | 12,123 12,296 | 1,061 848 |
| 541 2000 | : 5,205,740 | 12,137 | 3,331,701 | 12,200 | 040 |
| Jan-Jul 1999 | : 23,661,259 | 542,323 | 24,203,582 | 88,211 | 6,328 |
| Jan-Jul 2000 | : 24,154,939 | 523,431 | 24,678,370 | 91,361 | 6,631 |
| | : : | | Pounds | | |
| Average Live Weight | • • | | Founds | | |
| | : | | | | |
| Jun 2000 | : 4.96 | | 4.97 | 6.56 | |
| Jul 1999 | 4.88 | | 4.89 | 6.46 | |
| Jul 2000 | : 4.95 : | 5.51 | 4.96 | 6.59 | |
| Jan-Jul 1999 | : 4.99 | 5.11 | 5.00 | 6.62 | |
| Jan-Jul 2000 | : 4.99 | 5.24 | 5.00 | 6.63 | |

See footnotes at end of table.

-- continued

| | : | | | Turk | eys | | | : | : : : Total | | |
|-----------------------|-------|------------------|--------------|----------|-----------|------|------------------|---|-------------------|--|--|
| | | ryer- oasters | : : Young | : 3/: | Old | | Total Turkeys | : | Poultry | | |
| | : | | | | 1,000 He | ead | | | | | |
| Number Inspected | : | | | | · | | | | | | |
| Jun 2000 | : | 31 | 23, | 641 | 194 | | 23,866 | | | | |
| Jul 1999 | : | | - | ,964 | 175 | | 22,139 | | | | |
| Jul 2000 | : | | 21, | ,182 | 156 | | 21,339 | | | | |
| Jan-Jul 1999 | : | 56 | 147. | ,007 | 988 | | 148,051 | | | | |
| Jan-Jul 2000 | : | 81 | | ,030 | | | 151,207 | | | | |
| | : | | | | 1 000 - | | | | | | |
| Live Weight | : | | | | 1,000 Pou | und: | 3 | | | | |
| Hive Meight | : | | | | | | | | | | |
| Jun 2000 | : | 255 | 608, | ,974 | 4,945 | | 614,175 | | 4,351,272 | | |
| Jul 1999 | : | | | | 4,544 | | 557,354 | | 4,007,366 | | |
| Jul 2000 | : | | 536, | ,099 | 3,974 | | 540,073 | | 3,891,124 | | |
| Jan-Jul 1999 | : | 491 | 3,757, | ,766 | 26,345 | : | 3,784,603 | | 28,082,723 | | |
| Jan-Jul 2000 | : | 657 | 3,907, | ,738 | 28,770 | | 3,937,164 | | 28,713,526 | | |
| | : | | | | Pounds | _ | | | | | |
| Average Live Weight | : | | | | Poulids | 5 | | | | | |
| 11/01/03/0 21/0013110 | : | | | | | | | | | | |
| Jun 2000 | : | 8.26 | | 5.76 | 25.49 | | 25.73 | | | | |
| Jul 1999 | : | | | 5.17 | 26.01 | | 25.18 | | | | |
| Jul 2000 | : | | 25 | 5.31 | 25.41 | | 25.31 | | | | |
| Jan-Jul 1999 | : | 8.85 | | 5.56 | 26.65 | | 25.56 | | | | |
| Jan-Jul 2000 | : | 8.13 | 26 | 5.05 | 26.26 | | 26.04 | | | | |

^{1/} Federally inspected only. Totals may not add due to rounding.

^{2/} Of the Mature Chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was: July 1999: 6,059, July 2000: 6,116.

^{3/} Of the Young Turkeys inspected, the number reported in thousands as young breeders was: July 1999: 95, July 2000: 57.

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, July 2000 with Comparisons 1/

| | : : :- | | | Chickens | | | : : -: | Ducks | : : | Other Poultry |
|--------------|--------------|------------|---|----------|-----|------------|--------------|--------|-----|------------------|
| | :_ | Young | : | Mature | : | Total | : | | : | |
| | : | | | 1, | 000 | Pounds | | | | |
| Jun 2000 | : | | | | | | | | | |
| Chilled | : | 2,436,949 | | 45,438 | | 2,482,388 | | 3,666 | | 310 |
| Frozen | : | 234,765 | | 3,991 | | 238,757 | | 6,257 | | 334 |
| Total | : | 2,671,714 | | 49,430 | | 2,721,144 | | 9,923 | | 644 |
| Jul 1999 | : | | | | | | | | | |
| Chilled | : | 2,248,787 | | 43,410 | | 2,292,197 | | 3,144 | | 342 |
| Frozen | : | 222,578 | | 3,334 | | 225,913 | | 5,366 | | 260 |
| Total | : | 2,471,365 | | 46,745 | | 2,518,109 | | 8,510 | | 602 |
| IOLAI | : | 2,4/1,305 | | 40,745 | | 2,510,109 | | 0,510 | | 002 |
| Jul 2000 | : | | | | | | | | | |
| Chilled | : | 2,199,032 | | 40,639 | | 2,239,671 | | 3,471 | | 277 |
| Frozen | : | 207,597 | | 3,293 | | 210,890 | | 5,425 | | 237 |
| Total | : | 2,406,628 | | 43,932 | | 2,450,561 | | 8,896 | | 514 |
| iocai | : | 2,100,020 | | 15,752 | | 2,130,301 | | 0,000 | | 511 |
| | : | | | | | | | | | |
| Jan-Jul 1999 | : | | | | | | | | | |
| Chilled | : | 15,842,261 | | 302,391 | | 16,144,652 | | 23,854 | | 2,252 |
| Frozen | : | 1,517,728 | | 23,811 | | 1,541,540 | | 38,060 | | 1,379 |
| Total | : | 17,359,989 | | 326,202 | | 17,686,191 | | 61,914 | | 3,631 |
| | : | | | | | | | | | |
| Jan-Jul 2000 | : | | | | | | | | | |
| Chilled | : | 16,218,515 | | 292,743 | | 16,511,258 | | 25,282 | | 1,937 |
| Frozen | • | 1,544,335 | | 22,363 | | 1,566,698 | | 40,038 | | 2,131 |
| Total | : | 17,762,851 | | 315,106 | | 18,077,956 | | 65,320 | | 4,068 |

See footnotes at end of table.

-- continued

Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, July 2000 with Comparisons 1/ (continued)

| | • | | :keys | | · |
|-------------------|------------------------|--------------------|--------------|----------------------|----------------------|
| | : | 1 u. | . тель | | · ·: Total |
| | : Fryer- : Roasters | : Young | : : Old | : Total : Turkeys | : Poultry : |
| | : | | 1,000 Pou | nds | |
| Jun 2000 | : | | • | | |
| Chilled Frozen | : 15 : 167 | 216,340 263,046 | 2,857 906 | 219,211 264,120 | 2,705,575 509,466 |
| Total | : 182 : | 479,386 | 3,763 | 483,331 | 3,215,042 |
| Jul 1999 | · : | | | | |
| Chilled | : | 182,271 | 2,036 | 184,307 | 2,479,990 |
| Frozen | : | 252,467 | 1,390 | 253,857 | 485,396 |
| Total | : | 434,738 | 3,426 | 438,164 | 2,965,386 |
| Jul 2000 | : | | | | |
| Chilled | : | 193,032 | 1,822 | 194,854 | 2,438,273 |
| Frozen | : | 229,484 | 1,242 | 230,725 | 447,277 |
| Total | : | 422,515 | 3,064 | 425,579 | 2,885,550 |
| | : | | | | |
| Jan-Jul 1999 | · : | | | | |
| Chilled | : 35 | 1,345,514 | 13,499 | 1,359,048 | 17,529,806 |
| Frozen | : 313 | 1,614,623 | 6,222 | 1,621,158 | 3,202,137 |
| | : | 0.050.100 | 10 701 | | 00 701 040 |
| Total | 348 | 2,960,138 | 19,721 | 2,980,206 | 20,731,943 |
| Jan-Jul 2000 | : | | | | |
| Chilled | : 219 | 1,473,433 | 15,063 | 1,488,715 | 18,027,192 |
| Frozen | : 276 : | 1,606,654 | 6,469 | 1,613,399 | 3,222,266 |
| Total | · : 495 | 3,080,087 | 21,532 | 3,102,114 | 21,249,458 |
| | | | | | |

^{1/} Ready-to-cook weights. Totals may not add due to rounding.

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, July 2000 with Comparisons 1/

| | : | Chicken | | : : -: Ducks | : Other Poultry |
|-----------------------------------|------------------|-------------------------|--------------|--------------------|-----------------|
| | : Young | : Mature | : Total | : | : |
| | : | | 1,000 Pounds | | |
| Ante-Mortem (Live Weight) | : : : : | | · | | |
| Jun 2000 Jul 1999 Jul 2000 | • | 1,375 2,651 1,580 | 22,626 | 28 17 21 | 8 5 3 |
| Jan-Jul 1999 Jan-Jul 2000 | | 10,487 7,937 | | 118 147 | |
| Percent 2/ | : | | | | |
| Jul 1999 Jul 2000 | : 0.59 : 0.50 | 3.41 2.19 | | | 0.46 0.37 |
| Post-Mortem (N.Y. Dressed Weight) | · : : | | 1,000 Pounds | | |
| Jun 2000 Jul 1999 Jul 2000 | : 48,084 | 4,757 4,755 4,090 | 52,839 | 303 251 256 | 12 9 6 |
| Jan-Jul 1999 Jan-Jul 2000 | | 33,651 33,437 | | 2,028 1,993 | 50 69 |
| Percent 3/ | : | | | | |
| Jul 1999 Jul 2000 | : 1.59 : 1.35 | 6.79 6.30 | 1.71 1.46 | 2.30 2.31 | 0.90 0.83 |

See footnotes at end of table.

-- continued

Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, July 2000 with Comparisons 1/ (continued)

| | : Turkeys | | | | | | | | | |
|-----------------------------------|-----------------------|----------------------------|-------------------|----------------------------|----------------------------|--|--|--|--|--|
| | : Fryer- : Roasters : | Young | : : : | Total : Turkeys : | Total Poultry | | | | | |
| | : | | 1,000 Pound | ======= S | | | | | | |
| Ante-Mortem (Live Weight) | : | | | | | | | | | |
| Jun 2000 Jul 1999 Jul 2000 | : 1 : : | 1,851 2,363 1,902 | 34 74 23 | 1,886 2,437 1,926 | 17,765 25,086 19,949 | | | | | |
| Jan-Jul 1999 Jan-Jul 2000 | : 1 : 17 | 10,747 11,013 | 295 284 | 11,043 11,315 | 126,019 115,676 | | | | | |
| Percent 2/ | : | | | | | | | | | |
| Jul 1999 Jul 2000 | : : | 0.43 0.35 | 1.63 0.59 | 0.44 0.36 | 0.63 0.51 | | | | | |
| Post-Mortem (N.Y. Dressed Weight) | : | | 1,000 Pound | s | | | | | | |
| Jun 2000 Jul 1999 Jul 2000 | : 3 : | 11,962 11,181 10,714 | 305 283 231 | 12,271 11,464 10,945 | 60,871 64,562 54,975 | | | | | |
| Jan-Jul 1999 Jan-Jul 2000 | : 5 : 9 | 74,820 80,900 | 1,912 1,937 | 76,736 82,846 | 473,164 450,039 | | | | | |
| Percent 3/ | : | | | | | | | | | |
| Jul 1999 Jul 2000 | : : | 2.25 2.22 | 6.91 6.46 | 2.29 2.25 | 1.79 1.57 | | | | | |

^{1/} Federally inspected only. Totals may not add due to rounding.
2/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

^{3/} Pounds condemned as percent of pounds N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000

| State | : : : | Number Inspected | | | | Live Weight Inspected | | | | | ge ight ted 1/ |
|-----------|-----------------|---------------------|---------|--------------|-----------|--------------------------|-----------|---|--------|---|----------------------|
| | : | 1999 | : 2000 | : | 1999 | : | 2000 | : | 1999 | : | 2000 |
| | : : | 1 | ,000 | 1,000 Pounds | | | | | Pounds | | |
| AL | : | 80,063 | 76,445 | | 403,831 | | 377,230 | | 5.04 | | 4.93 |
| AR | : | 99,059 | 93,466 | | 473,183 | | 445,487 | | 4.78 | | 4.77 |
| DE | : | 22,146 | 21,033 | | 123,217 | | 124,734 | | 5.56 | | 5.93 |
| ${	t FL}$ | : | 10,261 | 10,012 | | 53,201 | | 52,166 | | 5.18 | | 5.21 |
| GA | : | 100,902 | 92,353 | | 490,660 | | 456,404 | | 4.86 | | 4.94 |
| LA | : | 14,708 | 14,492 | | 61,948 | | 64,679 | | 4.21 | | 4.46 |
| MD | : | 17,058 | 16,758 | | 78,648 | | 79,537 | | 4.61 | | 4.75 |
| MS | : | 58,251 | 57,100 | | 290,191 | | 279,064 | | 4.98 | | 4.89 |
| MO | : | 29,189 | 28,281 | | 131,445 | | 124,344 | | 4.50 | | 4.40 |
| NC | : | 53,142 | 53,551 | | 297,248 | | 312,761 | | 5.59 | | 5.84 |
| PA | : | 9,003 | 8,926 | | 45,289 | | 46,492 | | 5.03 | | 5.21 |
| SC | : | 20,583 | 18,048 | | 96,413 | | 89,610 | | 4.68 | | 4.97 |
| TN | : | 17,939 | 18,639 | | 83,625 | | 86,596 | | 4.66 | | 4.65 |
| TX | : | 46,707 | 48,926 | | 216,678 | | 228,980 | | 4.64 | | 4.68 |
| VA | : | 30,244 | 28,295 | | 142,482 | | 138,726 | | 4.71 | | 4.90 |
| WA | : | | | | | | | | | | |
| | : | | | | | | | | | | |
| US | : | 688,068 | 659,808 | | 3,359,024 | 3 | 3,265,748 | | 4.88 | | 4.95 |

^{1/} Average weight based on unrounded data.

Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000

| | : | | | : Pos | st-Mortem Cond | demnations |
|-------|--------------|-----------|---------------------|-----------------|----------------|---------------|
| State | : : :- | | Cotal Ctified 1/ | : : N.Y. Dre | essed Weight | : Percent 2/ |
| | : | 1999 | : 2000 | : 1999 | : 2000 | : 1999 : 2000 |
| | : : | | 1,000 | Pounds | | Percent |
| AL | : | 296,675 | 273,694 | 8,150 | 5,854 | 2.24 1.72 |
| AR | : | 345,299 | 329,106 | 6,091 | 5,337 | 1.43 1.33 |
| DE | : | 88,770 | 90,651 | 2,431 | 2,060 | 2.19 1.83 |
| FL | : | 37,251 | 37,540 | 1,048 | 862 | 2.19 1.84 |
| GA | : | 358,640 | 336,134 | 6,888 | 5,078 | 1.56 1.24 |
| LA | : | 43,598 | 45,608 | 1,616 | 660 | 2.90 1.13 |
| MD | : | 55,665 | 55,852 | 1,194 | 1,041 | 1.69 1.45 |
| MS | : | 224,930 | 217,825 | 2,822 | 2,154 | 1.08 0.86 |
| MO | : | 96,588 | 90,598 | 1,436 | 1,482 | 1.21 1.32 |
| NC | : | 223,324 | 237,382 | 4,420 | 4,429 | 1.65 1.57 |
| PA | : | 32,101 | 32,098 | 1,087 | 1,016 | 2.67 2.43 |
| SC | : | 71,159 | 66,112 | 1,458 | 1,400 | 1.68 1.74 |
| TN | : | 60,017 | 62,791 | 740 | 691 | 0.98 0.89 |
| TX | : | 165,256 | 176,276 | 2,470 | 2,629 | 1.27 1.28 |
| VA | : | 98,931 | 92,988 | 1,369 | 1,101 | 1.07 0.88 |
| WA | : | | | | | |
| | : | | | | | |
| US | : | 2,471,365 | 2,406,628 | 48,084 | 39,678 | 1.59 1.35 |

^{1/} Ready-to-cook weights.

^{2/} Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000

| State | : | Tuber- : culosis : | Leukogig | : Senticemia | : Airsac- : culitis | : Symowitie | : Tumors |
|---|---|--|---|--|---|---|--|
| | · | | | | | · Synovicis | |
| | : | | | Nu | mber | | |
| | : | | | | | | |
| AL | : | | 1,940 | 178,901 | 137,137 | 3,545 | 8,445 |
| AR | : | | 1,998 | 235,233 | 82,651 | | 3,984 |
| DE | : | | 3,177 | 112,063 | 28,076 | | |
| FL | : | | | 120 010 | 110 220 | | |
| GA | : | | 2,783 | 130,012 | 118,330 | 721 | 9,626 |
| LA | • | | 4,609 | 31,983 | 15,840 | 37 | 373 |
| MD MS | : | | 4,609 677 | 69,116 85,878 | 15,080 24,282 | 441 | 7,204 1,399 |
| MO | • | | 1,677 | 69,506 | 27,537 | 2,060 | 1,399 |
| NC | • | | 3,013 | 156,936 | 55,754 | 678 | 28,916 |
| PA | : | | 1,357 | 32,129 | 12,029 | 282 | 20,710 |
| SC | • | | 1,207 | 35,837 | 59,624 | | |
| TN | : | | 333 | 43,589 | 16,924 | 586 | 826 |
| TX | : | | 714 | 165,756 | 47,588 | 749 | 3,815 |
| VA | : | | | 56,301 | 16,160 | 25 | |
| WA | : | | | | | | |
| | : | | | | | | |
| US | : | | 32,242 | 1,674,878 | 703,384 | 27,329 | 104,316 |
| | • | | | | | | |
| | • - | | | | | | |
| | : | Provided: | Codorron | : Contam- | : Orrowagald | : O+hom | : Total |
| | : | : Bruises : | Cadaver | : Contam- : ination | | | : Total |
| | : - | : Bruises : | Cadaver | : ination | | | : : Total |
| | : - : : | | | : ination Nu | : Overscald mber | : Other | |
| AL | : - : : : : : : : : : : : : : : : : : : | 10,241 | 41,610 | : ination Nu 45,758 | : Overscald mber 17,709 | : Other | 595,167 |
| AR | : - : : : : : : : : : : : : : : : : : : | 10,241 9,032 | 41,610 29,281 | : ination Nu 45,758 43,807 | : Overscald mber 17,709 4,343 | : Other | 595,167 506,705 |
| AR DE | : - : : : : : : : : : : : : : : : : : : | 10,241 9,032 3,061 | 41,610 29,281 15,863 | : ination Nu 45,758 43,807 13,588 | : Overscald mber 17,709 4,343 7,318 | : Other 149,881 96,376 35,837 | 595,167 506,705 218,983 |
| AR DE FL | :-::::::::::::::::::::::::::::::::::::: | 10,241 9,032 3,061 1,978 | 41,610 29,281 15,863 | : ination Nu 45,758 43,807 13,588 5,614 | : Overscald mber 17,709 4,343 7,318 | : Other 149,881 96,376 35,837 | 595,167 506,705 218,983 7,592 |
| AR DE FL GA | : - : : : : : : : : : : : : : : : : : : | 10,241 9,032 3,061 1,978 11,586 | 41,610 29,281 15,863 30,321 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 | 149,881 96,376 35,837 152,578 | 595,167 506,705 218,983 7,592 510,044 |
| AR DE FL GA LA | : - : : : : : : : : : : : : : : : : : : | 10,241 9,032 3,061 1,978 11,586 824 | 41,610 29,281 15,863 30,321 3,619 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 | : Other 149,881 96,376 35,837 152,578 | 595,167 506,705 218,983 7,592 510,044 56,946 |
| AR DE FL GA LA MD | | 10,241 9,032 3,061 1,978 11,586 824 1,819 | 41,610 29,281 15,863 30,321 3,619 20,080 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 | 149,881 96,376 35,837 152,578 19,786 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 |
| AR DE FL GA LA MD MS | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 |
| AR DE FL GA LA MD MS MO | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 |
| AR DE FL GA LA MD MS MO NC | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 |
| AR DE FL GA LA MD MS MO NC PA | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 | : ination Nu 45,758 43,807 13,588 5,614 29,595 4,070 16,464 37,362 9,591 | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 |
| AR DE FL GA LA MD MS MO NC PA SC | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 |
| AR DE FL GA LA MD MS MO NC PA SC TN | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 2,308 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 13,259 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 1,611 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 25,941 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 118,142 |
| AR DE FL GA LA MD MS MO NC PA SC TN TX | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 2,308 1,851 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 13,259 11,311 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 1,611 1,228 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 25,941 15,777 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 118,142 263,230 |
| AR DE FL GA LA MD MS MO NC PA SC TN TX VA | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 2,308 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 13,259 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 1,611 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 25,941 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 118,142 |
| AR DE FL GA LA MD MS MO NC PA SC TN TX | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 2,308 1,851 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 13,259 11,311 8,352 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 1,611 1,228 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 25,941 15,777 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 118,142 263,230 |
| AR DE FL GA LA MD MS MO NC PA SC TN TX VA | | 10,241 9,032 3,061 1,978 11,586 824 1,819 3,975 2,264 9,861 2,214 4,870 2,308 1,851 | 41,610 29,281 15,863 30,321 3,619 20,080 17,242 15,205 46,147 3,412 16,661 13,259 11,311 8,352 | : ination | : Overscald mber 17,709 4,343 7,318 24,492 237 2,324 1,022 2,116 8,233 8,972 1,611 1,228 | : Other 149,881 96,376 35,837 152,578 19,786 47,748 43,966 123,507 29,291 35,237 25,941 15,777 | 595,167 506,705 218,983 7,592 510,044 56,946 140,055 182,664 180,795 470,407 90,305 174,599 118,142 263,230 |

Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000

| State | : | Number Inspected | | | | e Wei | : Average : Live Weight : Inspected 1/ | | | |
|-------|---|---------------------|--------|---|--------|-------|--|---|------|--------|
| | : | 1999 : | 2000 | : | 1999 | : | 2000 | : | 1999 | : 2000 |
| | : | 1,000 |) | | 1,0 | 00 Po | unds | | Pc | ounds |
| CA | : | | | | | | | | | |
| GA | : | | | | | | | | | |
| | : | | | | | | | | | |
| US | : | 14,921 | 13,100 | | 77,804 | | 72,159 | | 5.21 | 5.51 |

^{1/} Average weight based on unrounded data.

Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000

| | : | T | otal | | : | | Post-M | ortem Co | ndemr | nation | S |
|-------|---|--------|--------|---------|-----|------|--------|----------|-------|--------|---------|
| State | : | | tified | 1/ | : | N.Y. | Dresse | d Weight | : | Per | cent 2/ |
| | : | 1999 | : | 2000 | : | 1999 |) : | 2000 | : | 1999 | : 2000 |
| | : | | | - 1,000 | Pou | nds | | | | Pe: | rcent |
| ~- | • | | | | | | | | | | |
| CA | : | | | | | | | | | | |
| GA | : | | | | | | | | | | |
| | : | | | | | | | | | | |
| US | : | 46,745 | | 43,932 | | 4,75 | 55 | 4,090 | | 6.79 | 6.30 |

^{1/} Ready-to-cook weights.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000

| State | : : | 10001 | : : Leukosi | : | Septicemia | : | | : | Synovitis | : : | Tumors |
|-------|------------|---------|----------------|-----|------------|-------|-----------|-------|-----------|--------|---------|
| | : | | | | Nu | mb | er | | | | |
| CA | : | | | | | | | | | | |
| GA | : | | | | | | | | | | |
| US | : | | 3,43 | 84 | 263,754 | | 19,061 | | 1,331 | | 105,950 |
| | : - | | : | : | Contam- | : | | : | | : | |
| | : :- | Bruises | : Cadave | : : | ination | : | Overscald | : | Other | : | Total |
| | : | | | | Nu | mb | er | | | | |
| CA | : | | | | 213 | | 75 | | | | 288 |
| GA | : | | | | | | | | | | |
| US | : | 38,063 | 48,9 | 76 | 175,072 | | 2,508 | | 83,009 | | 741,158 |

Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000

| State | : : : | Number Inspected | | | Live Ins | - | : | Live | | - | |
|-------|-------------|---------------------|--------|---|--------------|---|---|------|-------|------|-------|
| | : | 1999 : | 2000 | : | 1999 | : | 2000 | : | 1999 | : | 2000 |
| | : | 1,0 | 00 | | 1,000 Pounds | | | | Poi | unds | 5 |
| AR | : | 2,055 | 2,014 | | 36,919 | | 36,683 | | 17.97 | | 18.21 |
| CA | : | 1,668 | 1,439 | | 39,659 | | 32,893 | | 23.78 | | 22.86 |
| IA | : | 1,471 | 1,356 | | 43,274 | | 38,925 | | 29.43 | | 28.70 |
| MN | : | 3,733 | 3,453 | | 89,651 | | 82,651 | | 24.01 | | 23.94 |
| MO | : | 1,902 | 2,025 | | 54,324 | | 53,556 | | 28.57 | | 26.44 |
| NC | : | 2,625 | 2,633 | | 62,560 | | 65,494 | | 23.83 | | 24.87 |
| PA | : | | | | | | | | | | |
| VA | : | 2,940 | 2,903 | | 65,155 | | 63,201 | | 22.16 | | 21.77 |
| | : | | | | | | | | | | |
| US | : | 21,964 | 21,182 | | 552,810 | | 536,099 | | 25.17 | | 25.31 |

^{1/} Average weight based on unrounded data.

Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000

| | : | | 7a+a1 | : Post-Mortem Condemnations | | | | | | | | | | | |
|----------|-----------------|------------------|-------------------------|-----------------------------|----------------|--------------|--------------|--|--|--|--|--|--|--|--|
| State | · : : : - | | Cotal ctified 1/ | : N.Y. Dre | essed Weight | : Perce | ent 2/ | | | | | | | | |
| | : | 1999 | : 2000 | : 1999 | : 2000 | : 1999 : | 2000 | | | | | | | | |
| | : | | 1,000 | Pounds | | Perc | ent | | | | | | | | |
| AR | : | 29,847 | 30,284 | | 726 | 2.10 | 2.20 | | | | | | | | |
| CA IA | : | 31,784 33,612 | 26,065 30,427 | 538 1,081 | 504 889 | 1.51 2.78 | 1.70 2.54 | | | | | | | | |
| MN | : | 71,282 | 65,860 | 2,386 | 1,946 | 2.96 | 2.62 | | | | | | | | |
| MO NC | : | 42,606 48,653 | 41,622 51,721 | 1,192 1,171 | 1,094 1,370 | 2.44 2.08 | 2.27 2.33 | | | | | | | | |
| PA | : | | | | | 1 67 | 1 72 | | | | | | | | |
| VA | : | 50,803 | 49,646 | 981 | 983 | 1.67 | 1.73 | | | | | | | | |
| US | : | 434,738 | 422,515 | 11,181 | 10,714 | 2.25 | 2.22 | | | | | | | | |

^{1/} Ready-to-cook weights.
2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000

| | : | Tuber- | : | : | | : | Airsac- | : | ; | : | | | |
|-------|-----|---------|------------|---|------------|------|-----------|---|-------------|---|---------|--|--|
| State | : | culosis | : Leukosis | : | Septicemia | : | culitis | : | Synovitis : | : | Tumors | | |
| | | | | | | | | | | | | | |
| | : | Number | | | | | | | | | | | |
| | : | | | | | | | | | | | | |
| AR | : | | | | 4,269 | | | | | | | | |
| CA | : | | | | | | | | | | | | |
| IA | : | | | | 5,699 | | | | | | | | |
| MN | : | | | | 12,228 | | 1,917 | | 1,112 | | | | |
| MO | : | | | | 15,978 | | 2,254 | | | | | | |
| NC | : | | | | 3,793 | | 3,047 | | | | | | |
| PA | : | | | | | | 480 | | 27 | | | | |
| VA | : | | | | | | 291 | | | | | | |
| | : | | | | | | | | | | | | |
| US | : | | 1,264 | | 71,980 | | 12,540 | | 5,489 | | 104 | | |
| | : - | : | | | | | | | | | | | |
| | : | _ ' | : | : | Contam- | : | | : | 3 | : | | | |
| | : | Bruises | : Cadaver | : | ination | : | Overscald | : | Other | • | Total | | |
| | : - | : | | | | | | | | | | | |
| | : | | | | TV CI | iioc | | | | | | | |
| AR | : | | 249 | | | | | | | | 4,518 | | |
| CA | : | | | | | | | | 112 | | 112 | | |
| IA | : | 84 | | | | | | | | | 5,783 | | |
| MN | : | 149 | 891 | | 937 | | | | | | 17,234 | | |
| MO | : | 70 | 359 | | 669 | | | | | | 19,330 | | |
| NC | : | | 865 | | | | | | 1,250 | | 8,955 | | |
| PA | : | | | | | | | | 887 | | 1,394 | | |
| VA | : | 25 | | | | | | | | | 316 | | |
| | : | 23 | | | | | | | | | 310 | | |
| US | : | 709 | 6,990 | | 9,582 | | 2,562 | | 14,165 | | 125,385 | | |

| Old Turkeys | (Breeders) | Slaughtered: | Number | Condemned | Post-Mortem | by | Cause, |
|-------------|------------|--------------|---------|-----------|-------------|----|--------|
| | | United Sta | tes, Ju | Ly 2000 | | | |

| | | | | | | • | | - | | | | |
|-------|-------------|-------------------|---|----------|---|--------------------|--------|--------------------|----|------------------|--|--------|
| State | : | Tuber- culosis | : | Leukosis | : | Septicemia | : | Airsac- culitis | | : Synovitis : | | Tumors |
| | : | : Number | | | | | | | | | | |
| US | : | : | | 2,440 | | 742 | 742 | | 70 | | | |
| | : : : | Bruises | : | Cadaver | : | Contam- ination | : : | Overscald | : | : Other : | | Total |
| | : Number | | | | | | | | | | | |
| US | : | 15 | | 118 | | 178 | | | | 656 | | 4,261 |

Poultry Slaughter Estimates

Data Sources: Primary data for commercial poultry slaughter estimates are obtained from the Poultry Inspection Form (FSIS 6000-21) completed by inspectors of the Food Safety and Inspection Service (FSIS), USDA. This form provides actual counts of birds slaughtered in Federally Inspected (FI) plants. Over 99 percent of the total U.S. slaughter for any species is under FI. The FSIS 6000-21 forms collect number of head slaughtered daily under FI by species and class as well as condemnations and total live and dressed weights. Approximately 350 plants in the U.S. are operated under Federal Inspection.

Revision Policy: Revisions are generally the result of late reports received by FSIS from plants and are usually less than one-half of 1 percent of the preliminary totals. Revisions for the previous month and year-to-date totals are published in each monthly release. Final data are published in the annual summary released in April and reflect any late reports or corrections which occurred after the monthly revision were published.

Procedures and Reliability: Plant inspectors submit forms (FSIS 6000-21) weekly summarizing the plant's activity. When inconsistencies in the data are detected, the reports are returned to the inspectors for correction. Inspectors correct or validate the report and resubmit it. The reports cover weekly activities through Saturday night and reported data are allocated to the appropriate month as it enters the database.

A NASS computer program provides a review of current data with historical data for each plant. An edit provides checks for the detection of errors such as invalid plant information, duplication, and erroneous data. The program also generates a missing reports listing for a telephone follow-up. Data are summarized weekly and accumulated to a monthly total for this release.

Major slaughter plants with missing reports are adjusted prior to publication to assure that all plants slaughtering a significant portion of a specific class are accounted for each week. Estimates for missing weeks are made only after verifying that the plant was in operation. Adjustments are based on either the previous week's information or a week determined to be similar to the one missing. Late reports replace imputed data as they become available. While there will continue to be a varying degree of incompleteness from month to month, it is expected to have only a minimal impact on the final totals.

Poultry slaughter estimates are based on a census of operating plants and, therefore, have no sampling error. However, they may be subject to errors such as omissions, duplications, and mistakes in reporting, recording, and processing the data. These errors are minimized through strict quality controls in the edit and summarization process, and a careful review of all reported data for consistency and reasonableness.

Generally, no State data are published if less than three plants operate for a species in a State, or if one plant has 60 percent or more of the total head for that species. These data are included in the U.S. totals.

Definitions Used To Report Federally Inspected Slaughter

- **Ante-Mortem Condemnations** Birds condemned prior to their entry into the slaughter plant.
- Certified Ready-to-Cook The weight of poultry certified wholesome by inspection after post-mortem condemnation pounds are removed. Ready-to-cook represents poultry meat ready for the marketing channel.
- Ducks Includes all ducks regardless of age and weight.
- Fryer-Roaster Turkeys Young immature birds, usually under 16 weeks of age.
- Mature Chickens Fowl from breeder and market egg flocks and stags and cocks.
- New York Dressed Weight Carcass weight after only feathers and blood are removed. This weight is approximately 90% of live weight.
- Old Turkeys (Breeders) Fully matured birds held for egg production, usually over 15 months of age.
- Other Poultry Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.
- Post-Mortem Condemnations Carcasses or parts condemned by the inspector because of disease or mishandling and removed from the slaughter line and destroyed.
- **Young Chickens** Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- **Young Turkeys (Mature)** Young birds grown to a matured market age, about 5 months.

Index

| ra | ige |
|--|--------|
| Definitions | 17 |
| Mature Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000 | 12 |
| Mature Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000 | 11 |
| Mature Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000 | 11 |
| Old Turkeys (Breeders) Slaughtered: Number Condemned Post-Mortem by Cause, United States, July 2000 | 15 |
| Poultry Slaughter: Ante-Mortem and Post-Mortem Condemnations by Type, United States, July 2000 with comparisons | 6 |
| Poultry Slaughter: Chilled and Frozen, Pounds Certified by Type, United States, July 2000 with comparisons | 4 |
| Poultry Slaughter: Number, Live Weight, and Average Live Weight by Type, United States, July 2000 with comparisons | 2 |
| Reliability Statement | 16 |
| Young Chickens Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000 | 10 |
| Young Chickens Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000 | 8 |
| Young Chickens Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000 | , 9 |
| Young Turkeys (Mature) Slaughtered: Number Condemned Post-Mortem by Cause, Selected States and United States, July 2000 | 14 |
| Young Turkeys (Mature) Slaughtered: Number, Live Weight, and Average Live Weight, Selected States and United States, July 1999-2000 | 13 |
| Young Turkeys (Mature) Slaughtered: Pounds Certified and Post-Mortem Condemnations, Selected States and United States, July 1999-2000 | 13 |

The next "Poultry Slaughter" report will be released at 3:00 p.m. ET on October 6, 2000.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC, 20250-9410, or call (202) 720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: http://www.usda.gov/nass/. Select "Today's Reports" or Publications and then Reports by Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Send an e-mail message to: **usda-reports@usda.mannlib.cornell.edu**. In the body of the message type the word: **list**.

AUTOFAX ACCESS

NASSFax service is available for some reports from your fax machine. Please call 202-720-2000, using the handset attached to your fax. Respond to the voice prompts. Document 0411 is a list of available reports.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)
Other areas, please call 703-834-0125 FAX: 703-834-0110
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: **nass@nass.usda.gov.**